#### Acronyms and Abbreviations

A ACEHS Alameda County Environmental Health Services.

ACG Ambient concentration guide.

ACMT Analytical Contract Management Team.

ACOE Army Corps of Engineers.

ALARA As low as reasonably achievable.

ANOVA Analysis of variance (see Technical Terms).

ANSI American National Standards Institute.

ARB Air Resources Board.

ASME American Society of Mechanical Engineers.

AST Aboveground storage tank.

ATA Advanced Test Accelerator.

ATSDR Agency for Toxic Substances and Disease Registry.

AWQC Ambient water quality criteria.

**B** BAAQMD Bay Area Air Quality Management District. The local agency responsible

for regulating stationary air emission sources (including the LLNL

Livermore site) in the San Francisco Bay Area.

BAT Best available technology.

BETX (or BTEX) Benzene, ethyl benzene, toluene, and xylene.

BMP Best management practice.

BOD Biochemical oxygen demand.

Bq Becquerel (see Technical Terms).

C Cal/EPA California Environmental Protection Agency.

CAM Continuous air monitor.

CAP88-PC Computer code required by the EPA for modeling air emissions of

radionuclides.

CARES (Tri-Valley) Citizens Against a Radioactive Environment.

CCR California Code of Regulations. Codification of regulations promulgated

by the State of California.

CDFG California Department of Fish and Game.

CEPRC Chemical Emergency Planning and Response Commission.

CEQA California Environmental Quality Act of 1970. CEQA requires that all

California state, local, and regional agencies document, consider, and disclose to the public the environmental implications of their actions.

CERCLA/SARA Comprehensive Environmental Response, Compensation and Liability Act

of 1980. Administered by EPA, this program, also known as Superfund, requires private parties to notify the EPA after the release of hazardous substances and undertake short-term removal and long-term remediation. If conditions exist that could create the threat of hazardous substances being released, the Act also requires the remediation of those conditions. In 1986, the Superfund Amendments and Reauthorization Act (SARA) was enacted, which amended and reauthorized CERCLA for five years at a total

funding level of \$8.5 billion.

CES Chemistry and Materials Science Environmental Services. An LLNL

laboratory that analyzes environmental samples.

CFC Chlorofluorocarbon (see Technical Terms).

CFF Contained Firing Facility.

CFR Code of Federal Regulations. A codification of all regulations promulgated

by federal government agencies.

ChemTrack Computerized chemical inventory and tracking system.

CHP California Highway Patrol.

Ci Curie (see Technical Terms).

COC Constituent of concern.

CRMP Cultural Resource Management Plan.

CRWQCB California Regional Water Quality Control Board.

CVRWQCB Central Valley Regional Water Quality Control Board.

CWA Clean Water Act.

CWG Community Work Group.

**D** DCG Derived Concentration Guide (see Technical Terms).

DEHP Bis(2-ethylhexyl)phthalate.

DfE Design for Environment.

DEP Diethylphthalate.

DHS California Department of Health Services.

DLM Designated level methodology.

DO Dissolved oxygen.

DoD U.S. Department of Defense.

DOE U.S. Department of Energy. The federal agency that is responsible for

conducting energy research and regulating nuclear materials used for

weapons production.

DOI U.S. Department of the Interior

DOT U.S. Department of Transportation.

DRB Drainage Retention Basin. Man-made, lined pond used to capture storm

water runoff and treated water at the LLNL Livermore site.

DTSC California Environmental Protection Agency, Department of Toxic

Substances Control.

DWTF Decontamination and Waste Treatment Facility.

E EA Environmental Assessment. An environmental review document that

identifies environmental impacts from any federally approved or funded

project. If an EA shows significant impact, an EIS is required.

EDE Effective dose equivalent (see Technical Terms).

EDO Environmental Duty Officer.

EEA Environmental and Exposure Assessment.

EE/CA Engineering evaluation/cost analysis.

EFA East Firing Area (LLNL Site 300).

EIR Environmental Impact Report. A detailed report prepared pursuant to

CEQA on the environmental impacts from any action carried out, approved, or funded by a California state, regional, or local agency.

EIS	<b>Environmental Impact Statement.</b>	A detailed report, required by the
LIO	Environmental impact Statement.	A detailed report, reduited by th

National Environmental Policy Act, on the environmental impacts from a federally approved or funded project. An EIS must be prepared by a federal agency when a "major" federal action that will have "significant"

environmental impacts is planned.

EML U.S. Department of Energy Environmental Measurements Laboratory.

EMRL Environmental Monitoring Radiation Laboratory.

EMSL Environmental Monitoring Systems Laboratory.

EO Executive Order.

EOG Environmental Operations Group.

EPA U.S. Environmental Protection Agency. The federal agency responsible for

enforcing federal environmental laws. Although some of this responsibility

may be delegated to state and local regulatory agencies, EPA retains oversight authority to ensure protection of human health and the

environment.

EPCRA Emergency Planning and Community Right-to-Know Act of 1986. EPCRA

requires facilities that produce, use, or store hazardous substances to report

releases of reportable quantities or hazardous substances to the

environment.

EPD Environmental Protection Department (LLNL).

EPL Effluent pollutant limit.

ERD Environmental Restoration Division of the Environmental Protection

Department at LLNL.

ES&H Environmental, Safety, and Health.

ESD Explanation of significant differences.

EST Environmental Support Team.

EWSF Explosives Waste Storage Facility.

EWTF Explosives Waste Treatment Facility.

**F** FFA Federal facility agreement. A negotiated agreement that specifies required

actions at a federal facility as agreed upon by various agencies (e.g., EPA,

RWQCB, and DOE).

FHC Fuel hydrocarbon.

FONSI Finding of no significant impact.

Freon 113 1,1,2-trichloro-1,2,2-trifluoroethane.

**G** Gram. The standard metric measure of weight approximately equal to

0.035 ounce.

GAC Granulated activated carbon.

GBq Gigabecquerel.  $1 \times 10^9$  Becquerel.

GFI Ground fault interrupt.

GSA General Services Area (LLNL Site 300).

GWP Ground Water Project.

GWPMP Ground Water Project Management Program.

GWTF Ground water treatment facility.

GWTS Ground water treatment system.

Gy Gray. The SI unit of measure for absorbed dose; the quantity of energy

imparted by ionizing radiation to a unit mass of matter, such as tissue. One gray equals 100 rads, or one joule per kilogram. (See "Gray" in Technical

Terms.)

**H** HCAL Hazards Control Department Analytical Laboratory.

HCD Hazards Control Department.

HDPE High-density polyethylene.

HE High explosives. Materials that release large amounts of chemical energy

when detonated.

HEPA High-efficiency particulate air (filter).

HMX Cyclotetramethyltetramine, a high-explosive compound. Also referred to

as octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine.

HPGe High-purity germanium.

HSD (Tukey-Kramer) honestly significant difference (test).

HSU Hydrostratigraphic unit.

HT Tritiated hydrogen gas. Tritium is the hydrogen isotope with one proton

and two neutrons in the nucleus. It emits a low-energy beta particle and

has a half-life of 12.3 years.

	НТО	Tritiated water and water vapor (see HT).
	HWCA	California Hazardous Waste Control Act. This legislation specifies requirements for the management of hazardous wastes in California.
	HWM	Hazardous Waste Management Division of the Environmental Protection Department at LLNL.
I	ICRP	International Commission on Radiological Protection. An international organization that studies radiation, including its measurement and effects.
	IQR	Interquartile range (see Technical Terms).
	ISD	Interim status document.
	ISMS	Integrated safety management system.
	ISO	International Standards Organization.
J	JON	Judgment of Need.
L	LARPD	Livermore Area Recreation and Park District.
	LBNL	Lawrence Berkeley National Laboratory.
	LCRS	Leachate collection and removal system.
	LEPC	Local Emergency Planning Committee.
	LINAC	Linear accelerator.
	LLNL	Lawrence Livermore National Laboratory.
	LOC	Letter of concern.
	LOEC	Lowest observed effect concentration.
	LOS	Limit of sensitivity (detectability).
	LUFT	Leaking underground fuel tank.
	LWRP	Livermore Water Reclamation Plant. The City of Livermore's municipal wastewater treatment plant, which accepts discharges from the LLNL Livermore site.
M	MAL	Management action level.
	MCL	Maximum contaminant level in drinking water established by EPA or DTSC.
	MDC	Minimum detectable concentration.
	MDL	Minimum detection limit.

MEI Maximally exposed individual member of the public.

MFP Mixed fission products.

ML Megaliter. 10<sup>6</sup> liters.

mL Milliliter.  $10^{-3}$  liter = 1 cm<sup>3</sup>.

MOLE Miniature Optical Lair Explorer.

mR Milliroentgen. 10<sup>-3</sup> roentgen.

mrem Millirem.  $10^{-3}$  rem.

MRP Monitoring and Reporting Program

MSDS Material Safety Data Sheet.

mSv Millisievert. 10<sup>-3</sup> sievert.

MTBE Methyl tertiary-butyl ether.

N NBZ North Buffer Zone (LLNL Livermore site).

NCR Nonconformance Report.

NCRP National Council on Radiation Protection.

NEPA National Environmental Policy Act. This federal legislation, enacted in

1969, requires all federal agencies to document and consider environmental impacts from federally funded or approved projects. DOE is responsible

for NEPA compliance at LLNL.

NESHAPs National Emission Standards for Hazardous Air Pollutants. These

standards are found in the Clean Air Act and set limits for hazardous air

pollutants.

NHPA National Historical Preservation Act.

NIF National Ignition Facility.

NIST National Institute for Standards and Technology. The federal agency,

formerly known as the National Bureau of Standards, responsible for reference materials against which laboratory materials are calibrated.

NOEC No observed effect concentration.

NOI Notice of Intent.

NOV Notice of Violation.

NPDES National Pollutant Discharge Elimination System. This federal regulation,

under the Clean Water Act, requires permits for discharges into surface

waterways.

NPL National Priorities List.

NRC Nuclear Regulatory Commission. The federal agency charged with

oversight of nuclear power and nuclear machinery and applications not

regulated by DOE or the Department of Defense.

O OBT Organically bound tritium.

ORAD Operations and Regulatory Affairs Division of the Environmental

Protection Department at LLNL.

OSHA Occupational Safety and Health Act.

OSP Operational Safety Procedure.

OU Operable Unit.

PA Programmatic Agreement.

P PAAA Price-Anderson Amendments Act.

P2 Pollution Prevention.

PCB Polychlorinated biphenyl.

PCE Tetrachloroethene (or perchloroethylene).

pCi Picocurie.  $1 \times 10^{-12}$  Ci.

PeerRP Peer Review Panel.

PEIS Programmatic Environmental Impact Statement.

%RSD Percent relative standard deviation, a measure of precision.

PHA Public Health Assessment.

PM Performance measure.

PMCL Primary maximum contaminant level.

PM-10 Fine particulate matter with an aerodynamic diameter equal to or less than

 $10 \mu m$ .

ppb Parts per billion. A unit of measure for the concentration of a substance in

its surrounding medium. For example, one billion grams of water

containing one gram of salt has a salt concentration of one part per billion.

PPG Pollution Prevention Group of Environmental Protection Department at

LLNL.

ppm Parts per million. A unit of measure for the concentration of a substance in

its surrounding medium. For example, one million grams of water

containing one gram of salt has a salt concentration of one part per million.

PPOA Pollution Prevention Opportunity Assessment.

PRG Preliminary remediation goal.

PTU Portable treatment unit.

**Q** QA Quality assurance.

QC Quality control.

**R** Roentgen, (see Technical Terms).

RAIP Remedial Action Implementation Plan.

RCRA Resource Conservation and Recovery Act of 1976. RCRA is a program of

federal laws and regulations that govern the management of hazardous wastes. RCRA is applicable to all entities that manage hazardous wastes.

RDX Hexahydro-1,3,5-trinitro-1,3,5-triazine, a high-explosive compound.

RL Reporting limit.

RML Radiological Measurements Laboratory.

RMMA Radioactive Materials Management Area.

ROD Record of Decision.

ROI Return on investment.

ROWD Report of Waste Discharge.

RSD Relative standard deviation.

RWQCB Regional Water Quality Control Board. The California regional agency

responsible for water quality standards and the enforcement of state water quality laws within its jurisdiction. California is divided into a number of RWQCBs; the Livermore site is regulated by the San Francisco Bay Region,

and Site 300 is regulated by the Central Valley Region.

S SARA Superfund Amendment and Reauthorization Act of 1986 (see

CERCLA/SARA).

SDWA Safe Drinking Water Act.

SERC State Emergency Response Commission.

SHPO California State Historic Preservation Office.

SI Système International d'Unités. An international system of physical units.

Units of measure in this system include meters (length), kilogram (mass), kelvin (temperature), becquerel (radioactivity), gray (radioactive dose), and

sievert (dose equivalent).

Site 300 LLNL's Experimental Test Site, located approximately 24 km east of the

Livermore site.

SJCHD San Joaquin County Health District. The local agency that enforces

underground-tank regulations in San Joaquin County, including Site 300.

SJCPHS San Joaquin County Public Health Services.

SJVUAPCD San Joaquin Valley Unified Air Pollution Control District. The local agency

responsible for regulating stationary air emission sources (including Site

300) in San Joaquin County.

SL Statistical limit.

SMCL Secondary maximum contaminant level.

SME Safety Management

SNL/California Sandia National Laboratories, California.

SOP Standard operating procedure.

SOV Summary of violations.

SPCC Spill Prevention Control and Countermeasures (Plans).

SSM Stockpile Stewardship and Management.

STAR Sample tracking and receiving (computer system).

STLC Soluble threshold limit concentration. A value that can be used to

determine if a waste is hazardous.

STP Site Treatment Plan.

Sv Sievert. (See Technical Terms.)

SVE Soil vapor extraction.

SWDA State Water Drinking Act.

SW-MEI Sitewide maximally exposed individual member of the public.

SWPPP Storm Water Pollution Prevention Plan.

SWRCB California State Water Resources Control Board.

SWRI (LLNL) Site-wide Remedial Investigation (Report).

T TBOS Tetrabutyl orthosilicate.

TBq Terabecquerel.  $1 \times 10^{12}$  Becquerel.

TCE Trichloroethene.

TCLP Toxicity Characteristic Leaching Procedure.

TDS Total dissolved solids. The portion of solid material in a waste stream that

is dissolved and passed through a filter.

TF Treatment facility.

THM Trihalomethane.

TLD Thermoluminescent dosimeter. A device used to measure external beta or

gamma radiation levels. TLDs contain a material that after exposure to beta

or gamma radiation emits light when processed and heated.

TNT Trinitrotoluene.

TOC Total organic carbon. The sum of the organic material present in a sample.

TOX Total organic halides. The sum of the organic halides present in a sample.

TRI Toxic Release Inventory.

TRU Transuranic waste.

TSDF Treatment, storage, and disposal facility.

TSS Total suspended solids.

TTLC Total threshold limit concentration. A value that can be used to determine

if a waste is hazardous.

TWMS Total Waste Management System.

U UC University of California.

USEPA U.S. Environmental Protection Agency.

USFWS U.S. Fish and Wildlife Service.

UST Underground storage tank.

V VOC Volatile organic compound. Liquid or solid organic compounds that have

a high vapor pressure at normal pressures and temperatures and thus tend

to spontaneously pass into the vapor state.

VPP Voluntary Protection Program.

W WAA Waste accumulation area. An officially designated area that meets current

environmental standards and guidelines for temporary (less than 90 days)

storage of hazardous waste before pickup by the Hazardous Waste

Management Division for off-site disposal.

WDR Waste Discharge Requirements. Issued by the California Regional Water

**Quality Control Board.** 

WFA West Firing Area (LLNL Site 300).

WQO Water quality objective.

WSS Work Smart Standards.

WTF Working Task Force.

**Z** Zone 7 Alameda County Flood Control and Conservation District, Zone 7.

#### **Technical Terms**

A Absorbed dose The amount of energy imparted to matter by ionizing radiation per unit

mass of irradiated material. The absorbed dose is expressed in units of

rad or gray (l rad = 0.01 gray).

Accuracy The closeness of the result of a measurement to the true value of the

quantity measured.

Action Level Defined by regulatory agencies, it is the level of pollutants which, if

exceeded, requires regulatory action.

Aerosol A gaseous suspension of very small particles of liquid or solid.

Alluvium Sediment deposited by flowing water.

Alpha particle A positively charged particle emitted from the nucleus of an atom,

having mass and charge equal to those of a helium nucleus (two protons

and two neutrons).

Ambient air The surrounding atmosphere, usually the outside air, as it exists around

people, plants, and structures. It is not considered to include the air

immediately adjacent to emission sources.

Analyte A constituent that is being analyzed.

Anion A negatively charged ion, for example Cl<sup>-</sup>.

**ANOVA** Analysis of variance. A test of whether two or more sample means are

statistically different.

A saturated layer of rock or soil below the ground surface that can Aquifer

> supply usable quantities of ground water to wells and springs. Aquifers can be a source of water for domestic, agricultural, and industrial uses.

Aquitard Low-permeability bed that bounds an aquifer.

Atom The smallest particle of an element capable of entering into a chemical

reaction.

Abbreviated AA. A method used to determine the elemental Atomic absorption

composition of a sample. In this method, the sample is vaporized and its spectroscopy

light absorbance measured.

В Barcad Device that samples water in a well. Water, collected in a discrete water

bearing zone, is forced to the surface by pressurized nitrogen.

Becquerel (Bq) The SI unit of activity of a radionuclide, equal to the activity of a

radionuclide having one spontaneous nuclear transition per second.

Beta particle A negatively charged particle emitted from the nucleus of an atom,

having charge, mass, and other properties of an electron.

Biochemical (biological) oxygen

demand

A measure of the amount of dissolved oxygen that microorganisms need to break down organic matter in water. It is used as an indicator of water

quality.

 $\mathbf{C}$ Categorical Discharge from a process regulated by EPA rules for specific industrial

discharge

categories.

**CFC** Chlorofluorocarbon. A compound that has fluorine and chlorine atoms

on a carbon backbone. Freons are common CFCs.

A method for documenting the history and possession of a sample from Chain-of-custody

the time of its collection, through its analysis and data reporting, to its

final disposition.

Chlorocarbon A compound of carbon and chlorine, or carbon, hydrogen, and chlorine,

such as carbon tetrachloride, chloroform, and tetrachloroethene.

Collective dose The sums of the dose equivalents or effective dose equivalents to all equivalent and individuals in an exposed population within 80 km (50 miles) of the collective effective radiation source. These are evaluated by multiplying the dose received by an individual at each location by the number of individuals receiving dose equivalent that dose, and summing over all such products for locations within 80 km of the source. They are expressed in units of person-rem or person-sievert. The collective EDE is also referred to as the "population dose." Committed dose The predicted total dose equivalent to a tissue or organ over a 50-year equivalent period after an intake of a radionuclide into the body. It does not include contributions from external dose. Committed dose equivalent is expressed in units of rem (or sievert; 100 rem equals one sievert). Committed The sum of the committed dose equivalents to various tissues in the effective dose body, each multiplied by an appropriate weighting factor representing equivalent the relative vulnerability of different parts of the body to radiation. Committed effective dose equivalent is expressed in units of rem or sievert. Cosmic radiation Radiation with very high energies, originating outside the earth's atmosphere. Cosmic radiation is one source contributing to natural background radiation. Curie A unit of measurement of radioactivity, defined as the amount of radioactive material in which the decay rate is  $3.7 \times 10^{10}$  disintegrations per second or  $2.22 \times 10^{12}$  disintegrations per minute; one Ci is approximately equal to the decay rate of one gram of pure radium. Daughter nuclide A nuclide formed by the radioactive decay of another nuclide, which is called the parent. Uranium having a lower proportion of the isotope <sup>235</sup>U than is found in Depleted uranium naturally occurring uranium; the fractions of <sup>238</sup>U, <sup>234</sup>U, and <sup>235</sup>U that we use for depleted uranium are defined in Supplement 12-3. Depleted uranium is sometimes referred to as D-38. DCG Derived Concentration Guide. Concentrations of radionuclides in water and air that could be continuously consumed or inhaled for one year and

not exceed the DOE primary radiation standard to the public

(100 mrem/y EDE).

D

De minimis Shortened form of "de minimis non curat lex," which means, "The law

does not care for, or take notice of, very small or trifling matters." A "de minimis level" would be a level that is so inconsequential that, by

definition, it cannot be cause for concern.

Dose The energy imparted to matter by ionizing radiation; the unit of absorbed

dose is the rad, equal to 0.01 joules per kilogram for irradiated material in

any medium.

Dose commitment The dose which an organ or tissue would receive during a specified

period of time (e.g., 50 or 70 years) as a result of one year's intake of one

or more radionuclides.

Dose equivalent The product of absorbed dose in rad (or gray) in tissue and a quality

factor representing the relative damage caused to living tissue by different kinds of radiation, and perhaps other modifying factors representing the distribution of radiation, etc. Dose equivalent is

expressed in units of rem or sievert (l rem = 0.01 sievert).

Dosimeter A portable detection device for measuring the total accumulated

exposure to ionizing radiation.

Dosimetry The theory and application of the principles and techniques of

measuring and recording radiation doses.

Downgradient In the direction of ground water flow from a designated area; analogous

to downstream.

Effective dose An estimate of the total risk of potential effects from radiation exposure. equivalent (EDE) It is the summation of the products of the dose equivalent and weighting

It is the summation of the products of the dose equivalent and weighting factor for each tissue. The weighting factor is the decimal fraction of the risk arising from irradiation of a selected tissue to the total risk when the whole body is irradiated uniformly to the same dose equivalent. These factors permit dose equivalents from nonuniform exposure of the body

to be expressed in terms of an effective dose equivalent that is

numerically equal to the dose from a uniform exposure of the whole body that entails the same risk as the internal exposure (ICRP 1980). The

effective dose equivalent includes the committed effective dose equivalent from internal deposition of radionuclides and the effective

dose equivalent due to penetrating radiation from sources external to the

body, and is expressed in units of rem (or sievert).

Effluent A liquid or gaseous waste discharged to the environment.

E

	Evapotranspiration	A process by which water is transferred from the soil to the air by plants that take the water up through their roots and release it through their leaves and other aboveground tissue.
F	Federal facility	A facility that is owned or operated by the federal government. Federal facilities are subject to the same requirements as other responsible parties once placed on the Superfund National Priorities List.
	Federal Register	A document published daily by the federal government containing notification of government agency actions. The Federal Register contains notification of EPA and DOE actions, including notification of EPA and DOE decisions concerning permit applications and rule-making.
G	Gamma ray	High-energy, short-wavelength, electromagnetic radiation emitted from the nucleus of an atom. Gamma radiation frequently accompanies the emission of alpha or beta particles.
	Gray	The SI unit of measure for absorbed dose; the quantity of energy imparted by ionizing radiation to a unit mass of matter, such as tissue. One gray equals 100 rads, or 1 joule per kilogram.
	Ground water	All subsurface water.
Н	Half-life (radiological)	The time required for one-half the radioactive atoms in a given amount of material to decay. After one half-life, half of the atoms will have decayed; after two half-lives, three-fourths; after three half-lives, seveneighths; and so on, exponentially.
	Hazardous waste	Wastes exhibiting any of the following characteristics: ignitability, corrosivity, reactivity, or EP-toxicity (yielding toxic constituents in a leaching test). In addition, EPA has listed as hazardous other wastes that do not necessarily exhibit these characteristics. Although the legal definition of hazardous waste is complex, the term more generally refers to any waste that EPA believes could pose a threat to human health and the environment if managed improperly.
	Hydraulic gradient	In an aquifer, the rate of change of total head (water-level elevation) per unit distance of flow at a given point and in a given direction.
	Hydrology	The science dealing with the properties, distribution, and circulation of natural water systems.
Ι	Inorganic compounds	Compounds that either do not contain carbon or do not contain hydrogen along with carbon. Inorganic compounds include metals, salts, and various carbon oxides (e.g., carbon monoxide and carbon dioxide).

In situ A term that can be used to refer to the treatment of contaminated areas in

> place, i.e., without excavation or other removal, as in the in situ treatment of soils through biodegradation of contaminants on site.

Interim status A legal classification that applies to hazardous waste incinerators or

other hazardous waste management facilities that were under

construction or in operation by November 19, 1980, and can meet other interim status requirements. Interim status facilities may operate while

EPA considers their permit application.

**IQR** Interquartile range. The distance between the top of the lower quartile

and the bottom of the upper quartile. The IQR provides a measure of the

spread of data.

Isotopes Forms of an element having the same number of protons in their nuclei,

but differing numbers of neutrons.

L Liter The SI measure of capacity approximately equal to 1.057 quart.

limits

Less than detection A phrase indicating that a chemical constituent was either not identified or not quantified at the lowest level of sensitivity of the analytical method being employed by the laboratory. Therefore, the chemical constituent either is not present in the sample, or it is present in such a small concentration that it cannot be measured by the analytical

procedure.

Low-level waste Waste defined by DOE Order 5820.2A. Low-level waste contains

transuranic nuclide concentrations less than 100 nCi/g.

Lower limit of

detection

The smallest concentration or amount of analyte that can be detected in a

sample at a 95% confidence level.

Lysimeter An instrument for measuring the water percolating through soils and

determining the dissolved materials.

M Maximally

**Exposed** 

Individual

The maximally exposed individual is a hypothetical member of the public at a fixed location who, over an entire year, receives the maximum effective dose equivalent (summed over all pathways) from a given

source of radionuclide releases to air. Generally, the MEI is different for

each source at a site.

Multiple

A borehole with water surveillance monitoring devices (Barcads) placed completion

at various levels and separated by impermeable layers of material such as grout. Usually the uppermost "completion" is accessible from the surface, making physical sample-taking possible (as opposed to Barcads),

and is referred to as a well.

	Mixed waste	Waste that has the properties of both hazardous and radioactive waste.
N	Nonpoint source	Any nonconfined area from which pollutants are discharged into a body of water (e.g., agricultural runoff, construction runoff, and parking lot drainage), or into air (e.g., a pile of uranium tailings).
	Nuclide	A species of atom characterized by the constitution of its nucleus. The nuclear constitution is specified by the number of protons, number of neutrons, and energy content; or, alternatively, by the atomic number, mass number, and atomic mass. To be regarded as a distinct nuclide, the atom must be capable of existing for a measurable length of time.
0	Off-site	Outside the boundaries of the LLNL Livermore site and Site 300 properties.
	On-site	Within the boundaries of the LLNL Livermore site or Site 300 properties.
P	Part B permit	The second, narrative section submitted by generators in the RCRA permitting process. It covers in detail the procedures followed at a facility to protect human health and the environment.
	Perched aquifer	Aquifer that is separated from another water-bearing stratum by an impermeable layer.
	Performance standards (incinerators)	Specific regulatory requirements established by EPA limiting the concentrations of designated organic compounds, particulate matter, and hydrogen chloride in incinerator emissions.
	pН	A measure of hydrogen ion concentration in an aqueous solution. Acidic solutions have a pH from 0 to 6; basic solutions have a pH greater than 7; and neutral solutions have a pH of 7.
	Piezometer	Instrument for measuring fluid pressure. Generally used to measure the elevation of the water table in a small, nonpumping well.
	Pliocene	Geological epoch of the Tertiary period, starting about 12 million years ago.
	PM-10	Fine particulate matter with an aerodynamic diameter equal to or less than 10 microns.
	Point source	Any confined and discrete conveyance (e.g., pipe, ditch, well, or stack).
	Pretreatment	Any process used to reduce a pollutant load before it enters the sewer system.

Pretreatment regulations

National wastewater pretreatment regulations, adopted by EPA in compliance with the 1977 amendments to the Clean Water Act, which required that EPA establish pretreatment standards for existing and new industrial sources.

**Priority pollutants** 

A set of organic and inorganic chemicals identified by EPA as indicators of environmental contamination.

Q Quality assurance (QA)

A system of activities whose purpose is to provide the assurance that standards of quality are attained with a stated level of confidence.

Quality control (QC)

Procedures used to verify that prescribed standards of performance are attained.

Quality factor

The factor by which the absorbed dose (rad) is multiplied to obtain a quantity that expresses (on a common scale for all ionizing radiation) the biological damage to exposed persons. Quality factor is used because some types of radiation, such as alpha particles, are biologically more damaging than others. Quality factors for alpha, beta, and gamma radiation are in the ratio 20:1:1.

Quaternary

The geologic era encompassing the last 2–3 million years.

R Rad

The unit of absorbed dose. It is the quantity of energy imparted by ionizing radiation to a unit mass of matter such as tissue. One rad equals 0.01 joule per kilogram, or 0.01 gray.

Radioactive decay

The spontaneous transformation of one radionuclide into a different nuclide (which may or may not be radioactive), or de-excitation to a lower energy state of the nucleus by emission of nuclear radiation, primarily alpha or beta particles, or gamma rays (photons).

Radioactivity

The spontaneous emission of nuclear radiation, generally alpha or beta particles, or gamma rays, from the nucleus of an unstable isotope.

Radionuclide

An unstable nuclide. See nuclide and radioactivity.

Rem

A unit of radiation dose equivalent and effective dose equivalent describing the effectiveness of a type of radiation to produce biological effects; coined from the phrase "roentgen equivalent man." It is the product of the absorbed dose (rad), a quality factor (Q), a distribution factor, and other necessary modifying factors. One rem equals 0.01

sievert.

	Risk assessment	The use of established methods to measure the risks posed by an activity or exposure. In the present context, risk assessments evaluate: (1) the relationship between exposure to radioactive substances and the subsequent occurrence of health effects; and (2) the likelihood for that exposure to occur.
	Roentgen	A unit of measurement used to express radiation exposure in terms of the amount of ionization produced in a volume of air.
S	Sampling and Analysis Plan	A detailed document describing the procedures used to collect, handle, and analyze ground water samples. The plan details quality control measures that will be implemented to ensure that sample-collection, analysis, and data-presentation activities meet the prescribed requirements.
	Sanitary waste	Most simply, waste generated by routine operations that is not regulated as hazardous or radioactive by state or federal agencies.
	Saturated zone	A subsurface zone below which all rock pore-space is filled with water; also called the phreatic zone.
	Sensitivity	The capability of methodology or instrumentation to discriminate between samples having differing concentrations or containing varying amounts of analyte.
	Sewerage	The system of sewers.
	Sievert (Sv)	The SI unit of radiation dose equivalent and effective dose equivalent. This is the product of the absorbed dose (gray), quality factor (Q), distribution factor, and other necessary modifying factors. One sievert equals 100 rem.
	Sitewide Maximally Exposed Individual (SW-MEI):	The sitewide maximally exposed individual member of the public is defined as the hypothetical person who receives, at the location of a given publicly accessible facility (such as a church, school, business, or residence), the greatest LLNL-induced effective dose equivalent (summed over all pathways) from all sources of radionuclide releases to air at a site. Doses at this receptor location caused by each emission source are summed, and yield a larger value than for the location of any other similar public facility. This individual is assumed to continuously reside at this location 24 hours per day, 365 days per year.
	Specific conductance	Measure of the ability of a material to conduct electricity. Also called conductivity.

	Superfund	The common name used for the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA). California has also established a "State Superfund" under provisions of the California Hazardous Waste Control Act.
	Surface impoundment	A facility or part of a facility that is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials, although it may be lined with man-made materials. The impoundment is designed to hold an accumulation of liquid wastes, or wastes containing free liquids, and is not an injection well. Examples of surface impoundments are holding, storage, settling and aeration pits, ponds, and lagoons.
T	Tritium	The radioactive isotope of hydrogen, containing one proton and two neutrons in its nucleus. It decays at a half-life of 12.3 years by emitting a low-energy beta particle.
	Transuranic waste	Material contaminated with alpha-emitting transuranium nuclides, which have an atomic number greater than 92 (e.g. $^{239}$ Pu), half-lives longer than 20 years, and are present in concentrations greater than 100 nCi/g of waste.
	Tukey-Kramer HSD Test	The Tukey-Kramer honestly significant difference test, a statistical technique for testing differences among group means.
U	Unsaturated zone	That portion of the subsurface in which the pores are only partially filled with water. The direction of water flow is vertical in this zone; which is also referred to as the vadose zone.
V	Vadose zone	The partially saturated or unsaturated region above the water table that does not yield water to wells.
W	Wastewater treatment system	A collection of treatment processes and facilities designed and built to reduce the amount of suspended solids, bacteria, oxygen-demanding materials, and chemical constituents in wastewater.
	Water table	The water-level surface below the ground at which the unsaturated zone ends and the saturated zone begins. It is the level to which a well that is screened in the unconfined aquifer would fill with water.
	Weighting factor	A value used to calculate dose equivalents. It is tissue-specific and represents the fraction of the total health risk resulting from uniform, whole-body irradiation that could be contributed to that particular tissue. The weighting factors used in this report are recommended by the International Commission on Radiological Protection (ICRP 1980).

	Wind rose	A diagram that shows the frequency and intensity of wind from different directions at a specific location.
Z	Zone 7	The common name for the Alameda County Flood Control and Water Conservation District. Zone 7 is the water management agency for the Livermore-Amador Valley with responsibility for water treatment and distribution. Zone 7 is also responsible for management of agricultural and surface water and the ground water basin.